

AD-A237 239



OFFICE OF NAVAL RESEARCH

Grant N00014-90-J-1235

R & T Code 4133020

Technical Report No.15

Solvent Donicity and Dielectric Continuum Effects in Amalgam Formation Reactions.

A Study of the Reduction of Cu(I) in the Nitrile Solvents

by

W. Ronald Fawcett and Colby A. Foss, Jr.

Prepared for Presentation

at

The Electrochemical Society Meeting

Washington D.C., May 1991

Department of Chemistry
University of California
Davis, CA 95616

May 20, 1991

Reproduction in whole or in part is permitted
for any purpose of the United States Government

"This document has been approved for public release
and sale; its distribution is unlimited"

91 6 18 123

~~91 6 18 122~~

91-02542



| | | | |
|--|--|---|---|
| REPORT DOCUMENTATION PAGE | | | Form Approved MAY 1962 EDITION GSA GEN. REG. NO. 27 |
| NOT FOR USE ONLY FOR REPORTS | | REPORT DATE May 20, 1991 | REPORT TYPE AND SUBTITLE Technical |
| 1. AUTHOR(S) Solvent Donicity and Dielectric Continuum Effects in Amalgam Formation Reactions. A Study of the Reduction of Cu(I) in the Nitrile Solvents. | | N00014-90-J-1235 | |
| 2. AUTHOR(S) W. Ronald Fawcett and Colby A. Foss, Jr. | | | |
| 3. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Department of Chemistry University of California Davis, CA 95616 | | 4. REPORT AND ORGANIZATION NUMBER No. 15 | |
| 5. SPONSORING MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research 800 N. Quincy Arlington, VA 22217-5000 | | 10. SPONSORING MONITORING AGENCY REPORT NUMBER | |
| 11. SUPPLEMENTARY NOTES Prepared for Presentation at The Electrochemical Society Meeting, Washington, D.C., May 1991. | | | |
| 12a. DISTRIBUTION AVAILABILITY STATEMENT Unclassified | | 12b. DISTRIBUTION CODE | |
| 13. ABSTRACT (Maximum 200 words) Kinetic parameters are reported for the electroreduction of Cu(I) from four nitrile solvents as a function of both electrode potential and temperature under circumstances where the solvent is the ligand surrounding the ion being reduced. This reaction is shown to be atypical in that the apparent transfer coefficient is close to unity. It is argued that the rate controlling step takes place in the inner layer very close to the electrode/solution interface so that the effect of the electrode's field is very important. The role of the solvent in determining the characteristics of the transition state is discussed both with respect to its function in the immediate environment of the reactant, and its role in the macroscopic electrostatic effects. | | | |
| 14. SUBJECT TERMS Electrode kinetics, solvent effects, electron transfer, ion transfer. | | | 15. NUMBER OF PAGES 6 |
| | | | 16. PRICE CODE |
| 17. SECURITY CLASSIFICATION OF REPORT unclassified | 18. SECURITY CLASSIFICATION OF THIS PAGE unclassified | 19. SECURITY CLASSIFICATION OF ABSTRACT unclassified | 20. LIMITATION OF ABSTRACT unclassified |

75-Word Abstract Form

Extended Abstract must be submitted with the 75-Word Abstract by December 1, 1990

Washington, DC, May 5-10, 1991

Submit to: The Electrochemical Society, Inc.
10 South Main Street, Pennington, NJ 08534-2896
With a copy to the Organizer

Abstract No.
(to be assigned by the Society)

Schedule for Electrode Processes V
(Title of Symposium)

Sponsored by physical Electrochemistry
(Division/Group)

Title of paper Solvent Donicity and Dielectric Continuum Effects in Amalgam Formation
Reactions - A Study of the Reduction of Cu(I) in the Nitrile Solvents

Authors (Underline name of author presenting paper.) W. Ronald Fawcett and Colby A. Foss, Jr.

Business affiliation and complete mailing address Department of Chemistry
..... University of California, Davis
..... CA 95616 (916) 752-1105
(State or Country) (ZIP Code) (Telephone No.)

(Type abstract in this area—double-spaced.)

Kinetic parameters are reported for the electroreduction of Cu(I) from four nitrile solvents as a function of both electrode potential and temperature under circumstances where the solvent is the ligand surrounding the ion being reduced. This reaction is shown to be atypical in that the apparent transfer coefficient is close to unity. It is argued that the rate controlling step takes place in the inner layer very close to the electrode/solution interface so that the effect of the electrode's field is very important. The role of the solvent in determining the characteristics of the transition state is discussed both with respect to its function in the immediate environment of the reactant, and its role in the macroscopic electrostatic effects.

Do you require any audiovisual equipment?

- ☒ 35 mm (2 x 2 in.) slide projector
☐ Overhead projector
☐ Other equipment at author's expense
and subject to availability

Has the information in this abstract been
presented verbally, submitted for publication,
or published?

☐ Yes ☒ No

If the answer is yes, please provide the
reference (except in the case of invited review
presentations). _____

Is a full length paper on this work to be submitted for Society Journal publication? ☐ Yes ☒ No


The Extended Abstracts will be published in a volume copyrighted by The Electrochemical Society, Inc.

Solvent Donicity and Dielectric Continuum Effects in Amalgam Formation Reactions - A Study of the Reduction of Cu(I) in Nitrile Solvents

W. Ronald Fawcett and Colby A. Foss, Jr.

Department of Chemistry
University of California, Davis
Davis, CA 95616

The standard rate constants and charge transfer coefficients for the reaction



have been obtained using AC admittance voltammetry in the four solvents acetonitrile, propionitrile, butyronitrile and benzonitrile under conditions of varying temperature and supporting electrolyte identity and concentration. In all cases, the experimental charge transfer coefficient α_{ex} is close to unity. Corrections for the ϕ_2 potential effect do not lead to lower transfer coefficients, and hence double layer effects, at least in the context of Frumkin theory do not account for the $\alpha_{\text{ex}} \approx 1$ result.

The most plausible explanation for the large transfer coefficient involves a reaction site inside the inner layer at the electrode surface. The "close reaction plane" model [1] will be discussed in detail, along with the consequences of applying the standard ϕ_2 correction to systems where the reaction plane is not coincident with the outer Helmholtz plane. The relative merits of two other models, namely the asymmetric intrinsic barrier model [2,3] and the electro-chemical ("EC") mechanism [4] will also be considered.

Previous studies of alkali metal and alkaline earth cation reduction have shown a systematic dependence on the solvent donor number (DN) of both formal potentials [5] and kinetic rate constants [6]. For the Cu^+ system, the formal potentials measured against the reference redox couple cobalticinium/cobaltacene do correlate with DN, whereas the standard rate constants do not (Figure 1). Since the donicity range in the four nitriles chosen is small (12 in benzonitrile to 16.6 in butyronitrile), it is reasonable to assume that the dielectric properties of the solvents may be important. Dielectric effects are considered in two contexts. First, the simple Born theory is combined with classical ion-electrode imaging models to estimate a Gibbs energy of transfer quantity $\Delta G_{\text{tr}}(\text{bulk} \rightarrow \text{reaction site})$. In the second case, the Marcus Dielectric continuum expression [7] used to calculate ΔG_{os} for an electron transfer step. Using either ΔG_{tr} , ΔG_{os} , or both, so-called "continuum corrected" standard rate constants can be plotted against DN (Figure 2). The continuum corrected rate constants show an improved correlation with DN, particularly if they are also adjusted for a local potential equal to the rational ϕ^{M} quantity, which would be appropriate for a reaction plane at the electrode surface.

The shortcomings of the simple continuum models will be discussed, especially with regard to recent developments in the theory of ion - electrode imaging effects [8,9]. Also, the nature of the reaction coordinate for an amalgam formation reaction involving electron transfer will be discussed, with connections drawn between the empirical DN and the inner sphere reorganizational energy ΔG_{is} .

Acknowledgements

This work was supported by the Office of Naval Research, Washington.

References

- 1) W.R. Fawcett, J. Phys. Chem., 1989, 93, 2675.
- 2) W.R. Fawcett and C.A. Foss, Jr., J. Electroanal. Chem., 1988, 250, 225.
- 3) J.T. Hupp and M.J. Weaver, J. Phys. Chem., 1984, 88, 6128.
- 4) J. Struijs, M. Sluyters-Rehbach and J.H. Sluyters, J. Electroanal. Chem., 1983, 146, 263.
- 5) V. Gutmann, G. Peychal-Heiling, and M. Michlmayr, J. Inorg. Nucl. Chem. Letters 1967, 3, 501.
- 6) a) A.S. Baranski and W.R. Fawcett, J. Chem. Soc., Faraday Trans. 1, 1982, 78, 1279.
b) W.R. Fawcett and J.S. Jaworski, J. Chem. Soc., Faraday Trans. 1, 1982, 78, 1971.
- 7) R.A. Marcus, J. Chem. Phys., 1965, 43, 679.
- 8) P.G. Dzhavakidze, A.A. Kornyshev and L.I. Krishtalik, J. Electroanal. Chem., 1987, 228, 329.
- 9) D.R. Phelps, A.A. Kornyshev, and M.J. Weaver, J. Phys. Chem., 1990, 94, 1454.




Figure 1. Uncorrected standard rate constants for Cu^+ reduction versus solvent donor number (DN). Key: TEAP: (\circ); TPAP: (\bullet); TSAP: (Δ). All concentrations 0.10M.




Figure 2. Uncorrected and g^m -corrected standard rate constants for Cu^+ reduction summed with both ΔG^0_{tr} and ΔG^0_{os} versus solvent donor number. Electrolyte key: TEAP: (\circ , \bullet); TPAP: (Δ , \blacktriangle); TSAP: (\square , \blacksquare). Open symbols are uncorrected rate constants. Solid symbols are g^m -corrected rate constants.

TECHNICAL REPORT DISTRIBUTION LIST - GENERAL

Office of Naval Research (2)*
Chemistry Division, Code 1113
800 North Quincy Street
Arlington, Virginia 22217-5000

Dr. James S. Murday (1)
Chemistry Division, Code 6100
Naval Research Laboratory
Washington, D.C. 20375-5000

Dr. Robert Green, Director (1)
Chemistry Division, Code 385
Naval Weapons Center
China Lake, CA 93555-6001

Dr. Eugene C. Fischer (1)
Code 2840
David Taylor Research Center
Annapolis, MD 21402-5067

Dr. Elek Lindner (1)
Naval Ocean Systems Center
Code 52
San Diego, CA 92152-5000

Commanding Officer (1)
Naval Weapons Support Center
Dr. Bernard E. Douba
Crane, Indiana 47522-5050

Dr. Richard W. Drisko (1)
Naval Civil Engineering Laboratory
Code L52
Fort Hueneme, CA 93043

Dr. Harold H. Singerman (1)
David Taylor Research Center
Code 283
Annapolis, MD 21402-5067

Chief of Naval Research (1)
Special Assistant for Marine Corps Matters
Code 00MC
800 North Quincy Street
Arlington, VA 22217-5000

Defense Technical Information Center (2)
Building 5, Cameron Station
Alexandria, VA 22314

*Number of copies to forward